



# 2024 SOLUTIONS CATALOG



Water Treatment



Scan the QR code to purchase parts online, or to access a digital version of this catalog.

# Hobart Water Softeners

Hobart water softeners eliminate water hardness, offering reliable scale prevention and corrosion control in one convenient system. Less scale and corrosion mean your equipment runs cleaner, performs better, and requires less maintenance. As a result, our systems are the ideal solution for reducing costs and maximizing the life and efficiency of your equipment. For added convenience, our units include a salt alarm to remind you when it's time to refill.

## Point of Use Systems



WS-40

WS-80

**Application:** Undercounters, Door Types, Conveyor Types, Prep Washers, and Flight Types

Part Number	Item	Description	Water Specifications	Connection Size
00-913091-00123	WS-40	Twin 6" tanks with 40 lb. salt capacity water softener	Hardness Removal	3/4"
00-913091-00125	WS-80	Twin 8" tanks with 80 lb. salt capacity water softener	Hardness Removal	3/4"

### WS-40 Repair Kits

Part Number	Description
00-913091-00004	Complete Head Assembly, WS-40
00-913102-00600	Level 1 Assembly Kit, WS-40
00-913102-00623	Level 2 Kit, WS-40/WS-80
00-913102-00606	Level 3 Kit, WS-40
00-913102-00608	Level 4 Kit, WS-40
00-913102-00611	Level 5 Kit, WS-40/WS-80
00-913102-00613	Level 6 Kit, WS-40
00-913102-00616	Upper Distributor Kit, WS-40/WS-80
00-913091-00042	Brine Valve Assembly, WS-40

### WS-80 Repair Kits

Part Number	Description
00-913091-00005	Complete Head Assembly, WS-80
00-913102-00601	Level 1 Assembly Kit, WS-80
00-913102-00623	Level 2 Kit, WS-40/WS-80
00-913102-00607	Level 3 Kit, WS-80/WS-500
00-913102-00610	Level 4 Kit, WS-80
00-913102-00611	Level 5 Kit, WS-40/WS-80
00-913102-00615	Level 6 Kit, WS-80
00-913102-00616	Upper Distributor Kit, WS-40/WS-80
00-913091-00043	Brine Valve Assembly, WS-80

## Whole House Systems



WS-500

**Application:** Whole House/Multiple Pieces of Equipment

Part Number	Item	Description	Water Specifications	Connection Size
00-913091-00126	WS-500	Twin 5' x 13" diameter tanks with 500 lb. salt capacity water softener	Hardness Removal	1.25"

### Repair Kits

Part Number	Description
00-913091-00046	Complete Head Assembly, WS-500
00-913102-00603	Level 1 Assembly Kit, WS-500
00-913102-00624	Level 2 Kit, WS-500
00-913102-00607	Level 3 Kit, WS-80/WS-500
00-913102-00609	Level 4 Kit, WS-500

Part Number	Description
00-913102-00612	Level 5 Kit, WS-500
00-913102-00614	Level 6 Kit, WS-500
00-913102-00617	Upper Distributor Kit, WS-500
00-913091-00063	Brine Valve Assembly, WS-500

## Hobart HydroBlend™ Water Treatment



### SS-XL ScaleStick™

**Part Number:** 01-234301-89800

**Connection Size:** 3/4"

**Application:** Undercounter Warewash Equipment

**Model:** WTSBSS-XL



### SS-EXL ScaleStick™

**Part Number:** 01-234301-90000

**Connection Size:** 3/4"

**Application:** C-Line, AM, Flight-Type Warewash Equipment

**Model:** WTSBSS-EXT

The SS-XL and SS-EXL ScaleStick™, housed in High-Temp Translucent Filter Housings, deliver superior mineral scale prevention and corrosion control. The specially designed cartridge dispenses HydroBlend™ steadily, ensuring consistent scale prevention and corrosion control for predictable durations. No electricity, maintenance, or guesswork is required.

### Replacement Cartridges

Part Number	Item	Description
01-234301-37000	SS-XL	SS-XL Replacement Cartridge
01-234301-37500	SS-EXT	SS-EXT Replacement Cartridge
01-234301-91500	RSC-10	HBW Replacement Cartridge



## Hobart High Temp Prefilter



**Part Number:** 01-234202-02800

**Connection Size:** 3/4"

**Application:** Hot Water Point of Use Application

**Model:** Prefilter

A high-temperature pre-filter traps sand, silt, turbidity, and other unwanted particles. Installing a high-temperature pre-filter before your water softener helps extend the life of the softener resin.

### Replacement Cartridges

Part Number	Item	Description
01-234404-13100	SD-510HT	10" High-Temperature Sediment Filter

## Hobart HydroBlend™ Twin System



**Part Number:** 01-234301-77200  
**Connection Size:** 3/4"  
**Application:** Steamer/Combi/Proofer/Rack & Deck Ovens  
**Model:** WTSBSS-XLT16

The HydroBlend™ Twin System uses ScaleStick cartridges, compatible with any standard 10-inch filter housing, and leverages proven filtration technology. The NSF-approved HydroBlend™ works with non-potable and potable water supplies. Its flexible design allows easy conversion from 10" to 16" sediment or carbon block filtration.

### Replacement Parts

Part Number	Item	Description
01-234301-97200	CB-10	Carbon Block 10" Replacement Filter
01-234404-34400	CB-16	Carbon Block 16" Replacement Filter
01-234301-98100	CB-20	Carbon Block 20" Replacement Filter
01-234301-95100	SD-510	10" 5 Micron Sediment Filter
01-234404-06500	SD-516	16" 5 Micron Sediment Filter
01-234301-96300	SD-520	20" 5 Micron Sediment Filter
01-234301-33100	SS-10	ScaleStick™ and Everpure™ AR-10" Replacement
01-234301-37000	SS-XL	Super ScaleStick™

## Hobart Hollow Carbon Filter System, Chloramine Removal



### CB15K Hollow Carbon Filter System

**Part Number:** 00-847487-00001  
**Connection Size:** 3/4"  
**Application:** Flash Type Steamer/Proofer/Combi Systems  
**Model:** CB15K-SYSTEM

### CB30K Hollow Carbon Filter System

**Part Number:** 00-847487-00002  
**Connection Size:** 3/4"  
**Application:** Flash Type Steamer/Proofer/Combi Systems  
**Model:** CB30K-SYSTEM

The Hollow Carbon filtration system is NSF-rated and engineered to reduce chloramines, chlorine, sediment, bad tastes, odors, organic compounds, tannins, and trihalomethanes. The Quick-Change cartridge allows for tool-free replacement. The CB15K and CB30K are rated for 15,000 and 30,000 gallons respectively.

### Replacement Filters

Part Number	Item	Description
00-847487-01PMK	CB15K-PMKIT	CB15K Replacement Filter
00-847487-02PMK	CB30K-PMKIT	CB30K Replacement Filter



00-847487-02PMK



## EXTEND THE LIFE OF YOUR EQUIPMENT WITH VULCAN SCALEBLOCKER® WATER SYSTEM



**NEW**



**3 DAYS**  
WITHOUT SCALEBLOCKER®



**6 MONTHS**  
WITHOUT SCALEBLOCKER®

ScaleBlocker® is recommended for steamers to help minimize limescale buildup and corrosion, which can dramatically affect the operation of your equipment, resulting in downtime or service calls. It's a safe and economical way to maintain your investment.

- Removes problems from water without harmful chemicals or additives
- Reduces corrosive chemicals such as chloramines, chlorine and ammonia
- Filters out particulates and controls pH
- Protects the flavor and aroma of foods and your equipment

**WATER TREATMENT**

### ScaleBlocker® Hollow Carbon Filter System



#### SMF600 Filter System

**Part Number:** 00-857487-00001

**Connection Size:** 3/4"

**Application:** Boiler and Generator Base Steamers/Proofers and Combi Systems

**Model:** SMF600



#### SMF620 Filter System

**Part Number:** 00-857487-00002

**Connection Size:** 3/4"

**Application:** Boiler and Generator Base Steamers/Proofers and Combi Systems

**Model:** SMF620

The NSF-rated Hollow Carbon filtration system reduces impurities, including chloramines, chlorine, sediment, bad tastes, odors, organic compounds, tannins, and trihalomethanes. The ScaleBlocker™ Nano crystal scale reduction technology reduces the need for deliming. The Quick-Change cartridge allows for tool-free replacement.

#### Related Parts

Part Number	Item	Description
00-857487-SMFDT	Reusable Sump	Reusable Sump PM Kit: Includes Tube, Dip and 10" Delime Tank
00-857487-00600	SMF600 PMKIT	SMF600 Replacement Filter and a bag of ScaleRelease™
00-857487-00620	SMF620 PMKIT	SMF620 Replacement Filter and 2 bags of ScaleRelease™
00-854893-00013	SMF600/SMF620	ScaleRelease™ 14 oz. Bag



**00-857487-SMFDT**  
Simplify the delime process with our reusable sump! This handy tool efficiently delivers deliming solution to boilers and generators in steamers.

# Hobart Water Treatment

## Hobart Reverse Osmosis System



### 150 GPD RO System

**Part Number:** 00-913157-00003

**Model:** HRO150

### 150 GPD RO System with Chloramine Filter

**Part Number:** 00-913157-00004

**Model:** HRO150C



### 500 GPD RO System

**Part Number:** 00-913157-00001

**Model:** HRO500

### 500 GPD RO System with Chloramine Filter

**Part Number:** 00-913157-00002

**Model:** HRO500C

**Application:** Steamers & Combination Ovens (Combi), Proof Boxes, Deck & Rack Ovens, Espresso/Cappuccino Machines and Misting Systems

Capable of removing 98% of dissolved minerals, The Hobart HRO Systems eliminate mineral and scale deposits. The unique design incorporates the latest technology in a compact package, dramatically reducing maintenance expenses. 150 Gallons per day based on membrane performance after 24 hours, 77° F (25° C), 500 ppm TDS, and 65 psi, with discharge to the atmosphere.

### Replacement Parts

Part Number	Item	Description
00-913157-00106	150 GPD RO Postfilter (Blue Cap)	Filter Cartridge, Post GAC/Calcite
00-913157-00105	150 GPD RO Membrane (White Cap)	Membrane Cartridge, 75 GPD
00-913157-00102	150/500 GPD RO chloramine prefilter	150/500 GPD RO Chloramine Prefilter
01-234504-92000	TANK/20 GALLON	20 Gallon Storage Tank
00-913157-00100	500 GPD RO system membrane	500 GPD RO System Membrane
00-913157-00103	500 GPD RO postfilter	500 GPD RO Postfilter

# Additional Replacement Filters

## RO150 System

Part Number	Item	Description
01-234301-97200	CB-10	Carbon Block 10" Replacement
01-234301-98100	CB-20	Carbon Block 20" Replacement
01-234301-97400	CB-10-SS	Carbon Block w/10" ScaleStick™ Insert
01-234301-98300	CB-20-SS	Carbon Block w/20" ScaleStick™ Insert
01-234301-98800	MM-100	100 GPO RO Membrane
01-234301-98500	NC-8	Neutralizing Cartridge Post Filter RO
01-234301-95100	SD-510	10" 5 Micron Sediment Filter
01-234301-96300	SD-520	20" 5 Micron Sediment Filter
01-234504-92000	TANK/20 GALLON	20 Gallon Storage Tank



## AquaPrime™ System

Part Number	Item	Description
01-234301-30100	TO-10	AquaPrime™ Replacement for TO-10 Systems and for Everpure™ CV, MC, & 4CB5 Filters
01-234301-31300	TOS-10	AquaPrime™/ScaleStick™ Replacement for TOS-10 Systems and for Everpure MH, BH, & 1-2000 Filters
01-234301-30400	TO-20	AquaPrime™ Replacement for TO-20 Systems and for Everpure™ XCV, XC, & 7CB5 Filters
01-234301-31600	TOS-20	AquaPrime™/ScaleStick™ Replacement for TOS-20 Systems and for 1-4000 Filters
01-234301-95100	SD-510	10" 5 Micron Sediment Filter
01-234301-96300	SD-520	20" 5 Micron Sediment Filter



01-234301-31300

## Plus System

Part Number	Item	Description
01-234404-37500	SS-PLUS	Plus Cartridge



## SPS600 and SPS620 System

Part Number	Item	Description
00-857487-00001	SPS600	Cartridge
00-857487-00002	SPS620	Cartridge
00-854306-00004	SP600	ScaleBlocker™ PM Kit
00-854306-00013	SP620	ScaleBlocker™ PM Kit



# The Hobart Parts Advantage



## INDUSTRY'S LARGEST INVENTORY



**100%**  
Direct OEM Parts



**40,000**  
SKUs in Stock



## NATIONWIDE COVERAGE

**SAME DAY SHIPPING**

on parts ordered before



**8:00 P.M.**  
(EASTERN TIME)




## CUSTOMER FOCUSED



**FIELD-TRAINED SUPPORT**

to Assist with

**PART ID**



## ORDERING AS EASY AS 1, 2, 3

**1**

**CALL:**  
877-333-1863

**2**

**ONLINE:**  
HobartParts.com

**3**

**E-MAIL:**  
orders@hobartparts.com

Official OEM parts provider for the ITW Food Equipment Group brands:

