


Section 2

Water Treatment

Water Softeners	2.02
HydroBlend	2.03
High Temp Prefilter	2.03
HydroBlend Twin System	2.04
Hollow Carbon Filter	2.04
ScaleBlocker	2.05
Reverse Osmosis	2.06
Replacement Filters	2.07

Note: Before servicing any equipment or utilizing the materials provided within this catalog, thoroughly review your product's safety and instruction documentation; strict adherence to all aspects is required.

All equipment referenced in this catalog must be operated, maintained, and serviced by qualified professionals. Please review your product's warranty statement before performing any service or repairs, as improper use may void the warranty.



Water Softeners

Hobart water softeners eliminate water hardness, offering reliable scale prevention and corrosion control in one convenient system. Less scale and corrosion mean your equipment runs cleaner, performs better, and requires less maintenance. As a result, our systems are the ideal solution for reducing costs and maximizing the life and efficiency of your equipment. For added convenience, our units include a salt alarm to remind you when it's time to refill.

Point of Use Systems



Application: Undercounters, Door Types, Conveyor Types, Prep Washers, and Flight Types

Part Number	Model Number	Description	Water Specifications	Connection Size
00-913091-00123	WS-40	Twin 6" tanks with 40 lb. salt capacity water softener	Hardness Removal	3/4"
00-913091-00125	WS-80	Twin 8" tanks with 80 lb. salt capacity water softener	Hardness Removal	3/4"

Accessories

Part Number	Description
00-978900-50002	SALT ALARM BUNDLE, WS SERIES



[00-978900-50002](#)

WS-40 Repair Kits

Part Number	Description
00-913091-00004	Complete Head Assembly, WS-40
00-913102-00600	LEVEL 1 ASSEMBLY KIT, WS-40
00-913102-00623	LEVEL 2 KIT, WS-40/WS-80/WS-55
00-913102-00606	LEVEL 3 KIT, WS-40
00-913102-00608	LEVEL 4 KIT, WS-40
00-913102-00611	LEVEL 5 KIT, WS-40/WS-80/WS-55
00-913102-00613	LEVEL 6 KIT, WS-40
00-913102-00616	UPPER DISTRIBUTION KIT, WS-40/WS-80/WS-55
00-913091-00042	Brine Valve Assembly, WS-40

WS-80 Repair Kits

Part Number	Description
00-913091-00005	Complete Head Assembly, WS-80
00-913102-00601	LEVEL 1 ASSEMBLY KIT, WS-80
00-913102-00623	LEVEL 2 KIT, WS-40/WS-80/WS-55
00-913102-00607	LEVEL 3 KIT, WS-80/WS-55/WS-500
00-913102-00610	LEVEL 4 KIT, WS-80/WS-55
00-913102-00611	LEVEL 5 KIT, WS-40/WS-80/WS-55
00-913102-00615	LEVEL 6 KIT, WS-80/WS-55
00-913102-00616	UPPER DISTRIBUTION KIT, WS-40/WS-80/WS-55
00-913091-00043	Brine Valve Assembly, WS-80

Whole House Systems



Application: Whole House/Multiple Pieces of Equipment

Part Number	Item	Description	Water Specifications	Connection Size
00-913091-00126	WS-500	Twin 13 Inch tanks with 500 lb. salt capacity water softener	Hardness Removal	1.25"

Repair Kits

Part Number	Description	Part Number	Description
00-913091-00046	Complete Head Assembly, WS-500	00-913102-00612	LEVEL 5 KIT, WS-500
00-913102-00603	LEVEL 1 ASSEMBLY KIT, WS-500	00-913102-00614	LEVEL 6 KIT, WS-500
00-913102-00624	LEVEL 2 KIT, WS-500	00-913102-00617	UPPER DISTRIBUTOR KIT, WS-500
00-913102-00607	LEVEL 3 KIT, WS-80/WS-55/WS-500	00-913091-00063	Brine Valve Assembly, WS-500
00-913102-00609	LEVEL 4 KIT, WS-500		

Water Treatment

HydroBlend

The SS-XL and SS-EXT ScaleStick™, housed in High-Temp Translucent Filter Housings, deliver superior mineral scale prevention and corrosion control. The specially designed cartridge dispenses HydroBlend™ steadily, ensuring consistent scale prevention and corrosion control for predictable durations. No electricity, maintenance, or guesswork is required.



SS-XL ScaleStick™

Part Number: [01-234301-89800](#)

Connection Size: 3/4"

Application: UNDERCOUNTER WAREWASH EQUIPMENT

Model: WTSBSS-XL



SS-EXT ScaleStick™

Part Number: [01-234301-90000](#)

Connection Size: 3/4"

Application: C-LINE, AM, F-TYPE WAREWASH EQUIPMENT

Model: WTSBSS-EXT

Replacement Cartridges

Part Number	Model Number	Description
01-234301-37000	SS-XL	SS-XL Replacement Cartridge
01-234301-37500	SS-EXT	SS-EXT Replacement Cartridge
01-234301-91500	RSC-10	HBW Replacement Cartridge



High Temp Prefilter

A high-temperature pre-filter traps sand, silt, turbidity, and other unwanted particles. Installing a high-temperature pre-filter before your water softener helps extend the life of the softener resin.



Name: Hobart High Temp Prefilter

Part Number: [01-234202-02800](#)

Connection Size: 3/4"

Application: Hot Water Point of Use Application

Model: Prefilter

Replacement Cartridges

Part Number	Model Number	Description
01-234404-13100	SD-510HT	10" High-Temperature Sediment Filter

HydroBlend™ Twin System

The HydroBlend™ Twin System uses ScaleStick cartridges, compatible with any standard 10-inch filter housing, and leverages proven filtration technology. The NSF-approved HydroBlend™ works with non-potable and potable water supplies. Its flexible design allows easy conversion from 10" to 16" sediment or carbon block filtration.



Name: Hobart HydroBlend™ Twin System
Part Number: [01-234301-77200](#)
Connection Size: 3/4"
Application: Steamer/Combi/Proofer/Rack & Deck Ovens
Model: WTSBSS-XLT16

Replacement Parts

Part Number	Model number	Description
01-234301-97200	CB-10	Carbon Block 10" Replacement Filter
01-234404-34400	CB-16	Carbon Block 16" Replacement Filter
01-234301-98100	CB-20	Carbon Block 20" Replacement Filter
01-234301-95100	SD-510	10" 5 Micron Sediment Filter
01-234404-06500	SD-516	16" 5 Micron Sediment Filter
01-234301-96300	SD-520	20" 5 Micron Sediment Filter
01-234301-33100	SS-10	ScaleStick™ and Everpure™ AR-10" Replacement
01-234301-37000	SS-XL	Super ScaleStick™

Hollow Carbon Filter

The Hollow Carbon filtration system is NSF-rated and engineered to reduce chloramines, chlorine, sediment, bad tastes, odors, organic compounds, tannins, and trihalomethanes. The Quick-Change cartridge allows for tool-free replacement. The CB15K and CB30K are rated for 15,000 and 30,000 gallons respectively.



NAME: Hobart Hollow Carbon Filter System, Chloramine Removal CB15K Hollow Carbon Filter System

Part Number: [00-847487-00001](#)
Connection Size: 3/4" in
Application: Flash Type Steamer/Proofer/Combi Systems
Model: CB15K-SYSTEM

CB30K Hollow Carbon Filter System

Part Number: [00-847487-00002](#)
Connection Size: 3/4" in
Application: Flash Type Steamer/Proofer/Combi Systems
Model: CB30K-SYSTEM

Replacement Filters

Part Number	Model Number	Description
00-847487-01PMK	CB15K-PMKIT	CB15K Replacement Filter
00-847487-02PMK	CB30K-PMKIT	CB30K Replacement Filter


[00-847487-02PMK](#)

ScaleBlocker® Hollow Carbon Filter System



SMF600 Filter System

Part Number: [00-857487-00001](#)

Connection Size: 3/4" in

Application: Boiler and Generator Base
Steamers/Proofers and
Combi Systems

Model: SMF600



SMF620 Filter System

Part Number: [00-857487-00002](#)

Connection Size: 3/4" in

Application: Boiler and Generator Base
Steamers/Proofers and
Combi Systems

Model: SMF620

The NSF-rated Hollow Carbon filtration system reduces impurities, including chloramines, chlorine, sediment, bad tastes, odors, organic compounds, tannins, and trihalomethanes. The ScaleBlocker™ Nano crystal scale reduction technology reduces the need for deliming. The Quick-Change cartridge allows for tool-free replacement.

Related Systems

Part Number	Model Number	Description
00-857487-SMFDI	Reusable Sump	Reusable Sump PM Kit: Includes Tube, Dip and 10" Delime Tank



Replacement Filters

Part Number	Model Number	Description
00-857487-00600	SMF600	SMF600 Replacement Filter and a bag of ScaleRelease™
00-857487-00620	SMF620	SMF620 Replacement Filter and 2 bags of ScaleRelease™
00-854893-00013	SMF600/SMF620	ScaleRelease™ 14 oz. Bag

[00-857487-SMFDI](#)

Simplify the delime process with our reusable sump! This handy tool efficiently delivers deliming solution to boilers and generators in steamers.

Reverse Osmosis System



NAME: Hobart Reverse Osmosis System

150 GPD RO System

Part Number: [00-913157-00003](#)

Model: HRO150

Application: Steamers & Combination Ovens (Combi), Proof Boxes, Deck & Rack Ovens, Espresso/Cappuccino Machines and Misting Systems

Capable of removing 98% of dissolved minerals, The Hobart HRO Systems eliminate mineral and scale deposits. The unique design incorporates the latest technology in a compact package, dramatically reducing maintenance expenses. 150 Gallons per day based on membrane performance after 24 hours, 77° F (25° C), 500 ppm TDS, and 65 psi, with discharge to the atmosphere.

Replacement Filters

Part Number	Model Number	Description
00-913157-00106	150 GPD RO Postfilter (Blue Cap)	Filter Cartridge, Post GAC/Calcite
00-913157-00105	150 GPD RO Membrane (White Cap)	Membrane Cartridge, 75 GPD
00-913157-00102	150/500 GPD RO chloramine prefilter	150/500 GPD RO Chloramine Prefilter
01-234504-92000	TANK/20 GALLON	20 Gallon Storage Tank
00-913157-00100	500 GPD RO system membrane	500 GPD RO System Membrane
00-913157-00101	500 GPD RO system prefilter	500 GPD RO system prefilter
00-913157-00103	500 GPD RO postfilter	500 GPD RO Postfilter

Discontinued Systems

RO150 System

Replacement Filters

Part Number	Model Number	Description
01-234301-97200	CB-10	Carbon Block 10" Replacement
01-234301-98100	CB-20	Carbon Block 20" Replacement
01-234301-97400	CB-10-SS	Carbon Block w/10" ScaleStick™ Insert
01-234301-98300	CB-20-SS	Carbon Block w/20" ScaleStick™ Insert
01-234301-98800	MM-100	100 GPD RO Membrane
01-234301-98500	NC-8	Neutralizing Cartridge Post Filter RO



AquaPrime System

Replacement Filters

Part Number	Model Number	Description
01-234301-30100	TO-10	AquaPrime™ Replacement for TO-10 Systems and for Everpure™ CV, MC, & 4CB5 Filters
01-234301-31300	TOS-10	AquaPrime™/ScaleStick™ Replacement for TOS-10 Systems and for Everpure MH, BH, & 1-2000 Filters
01-234301-30400	TO-20	AquaPrime™ Replacement for TO-20 Systems and for Everpure™ XCV, XC, & 7CB5 Filters
01-234301-31600	TOS-20	AquaPrime™/ScaleStick™ Replacement for TOS-20 Systems and for 1-4000 Filters
01-234301-95100	SD-510	10" 5 Micron Sediment Filter
01-234301-96300	SD-520	20" 5 Micron Sediment Filter



[01-234301-31300](#)

Plus System

Replacement Filters

Part Number	Model Number	Description
01-234404-37500	SS-PLUS	Plus Cartridge



The Hobart Parts Advantage



INDUSTRY'S LARGEST INVENTORY



100%

Direct OEM Parts



40,000

SKUs in Stock



NATIONWIDE COVERAGE

SAME DAY SHIPPING

on parts ordered before



8:00 P.M.
(EASTERN TIME)



CUSTOMER FOCUSED



FIELD-TRAINED SUPPORT

to Assist with

PART ID



ORDERING AS EASY AS 1, 2, 3

1

CALL:
877-333-1863

2

ONLINE:
HobartParts.com

3

E-MAIL:
orders@hobartparts.com

Official OEM parts provider for the ITW Food Equipment Group brands:

